

Aa Bb Cc  
 Dd Ee Ff  
 Gg Hh Ii  
 Jj Kk Ll  
 Mm Nn Oo  
 Pp Qq Rr  
 Ss Tt Uu  
 Vv Ww Xx  
 Yy Zz 0123456789  
 . , @ ! ? - + = \* " ' ^ \$ & %  
 : ; ' ' " " « » ( ) [ ] { }

MONOSPACED FONTS WERE  
 WIDELY USED IN EARLY  
 COMPUTERS AND COMPUTER  
 TERMINALS, which often had  
 extremely limited  
 graphical capabilities.  
 Hardware implementation  
 was simplified by using a  
 text mode where the screen  
 layout was addressed as a  
 regular grid of tiles,

each of which could be set  
 to display a character by  
 indexing into the  
 hardware's character map.  
 Some systems allowed  
 colored text to be  
 displayed by varying the  
 foreground and background  
 color for each tile. Other  
 effects included reverse  
 video and blinking text.  
 Nevertheless, these early  
 systems were typically  
 limited to a single  
 console font.

Even though computers  
 can now display a wide  
 variety of fonts, the  
 majority of IDEs and  
 software text editors  
 employ a monospaced font  
 as the default typeface.  
 This increases the

MONOSPACED FONTS WERE  
 WIDELY USED IN EARLY  
 COMPUTERS AND COMPUTER  
 TERMINALS, which often  
 had extremely limited  
 graphical capabilities.  
 Hardware implementation  
 was simplified by using a  
 text mode where the  
 screen layout was  
 addressed as a regular  
 grid of tiles, each of  
 which could be set to  
 display a character by  
 indexing into the  
 hardware's character map.  
 Some systems allowed  
 colored text to be  
 displayed by varying the  
 foreground and background  
 color for each tile.  
 Other effects included

reverse video and  
 blinking text.  
 Nevertheless, these early  
 systems were typically  
 limited to a single  
 console font.  
 Even though computers  
 can now display a wide  
 variety of fonts, the  
 majority of IDEs and  
 software text editors  
 employ a monospaced font  
 as the default typeface.  
 This increases the  
 readability of source  
 code, which is often  
 heavily reliant on  
 distinctions involving  
 individual symbols, and  
 makes differences between  
 letters more unambiguous  
 in situations like

password entry boxes  
 where typing mistakes are  
 unacceptable. Monospaced  
 fonts are also used in  
 terminal emulation and  
 for laying out tabulated  
 data in plain text  
 documents. In technical  
 manuals and resources for  
 programming languages, a  
 monospaced font is often  
 used to distinguish code  
 from natural-language  
 text. It is also used in  
 disassemblers when it  
 outputs the information  
 when an instruction have  
 been executed sorted in  
 columns so that they line  
 up vertically.