Aa Bb Cc
 Dd Ee Ff
Gg Hh Ii
 Jj Kk Ll
Mm Nn Oo
 Pp Qq Rr
Ss Tt Uu
 Vv Ww Xx
Yy Zz 0123456789
.,@!?-+=*"' ^ $&%
:;''""«» ( )[ ]{ }

MONOSPACED FONTS WERE WIDELY USED IN EARLY COMPUTERS AND COMPUTER TERMINALS, which often had extremely limited graphical capabilities. Hardware implementation was simplified by using a text mode where the screen layout was addressed as a regular grid of tiles, each of which could be set to display a character by indexing into the hardware's character map. Some systems allowed colored text to be displayed by varying the foreground and background color for each tile. Other effects included reverse video and blinking text. Nevertheless, these early systems were typically limited to a single console

MONOSPACED FONTS WERE WIDELY USED IN EARLY COMPUTERS AND COMPUTER TERMINALS, which often had extremely limited graphical capabilities. Hardware implementation was simplified by using a text mode where the screen layout was addressed as a regular grid of tiles, each of which could be set to display a character by indexing into the hardware's character map. Some systems allowed colored text to be displayed by varying the foreground and background color for each tile. Other effects included reverse video and blinking text. Nevertheless, these early systems were typically limited to a single console font.

Even though computers can now display a wide variety of fonts, the majority of IDEs and software text editors employ a monospaced font as the default typeface. This increases the readability of source code, which is often heavily reliant on distinctions involving individual symbols, and makes differences between letters more unambiguous in situations like password entry boxes where typing mistakes are unacceptable. Monospaced fonts are also used in terminal emulation and for laying out tabulated data in plain text documents. In technical manuals and resources for programming languages, a monospaced font is often used to distinguish code from natural-language text. It is also used in disassemblers when it outputs the information when an instruction have been executed sorted in columns so that they line up vertically.